



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATION No: 2014112102000710

NAME AND ADDRESS OF THE APPLICANT:

UNICOM S.r.l
via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

MANUFACTURER:

UNICOM S.r.l
via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

NAME AND ADDRESS OF THE FACTORY:

COEM S. P. A
Via Stradone Secchia 32, 42014 Roteglia (RE)-Italy
(FACTORY CODE: K000126)

NAME AND SERIES OF THE PRODUCTS:

PORCELAIN TILES
(THE LIST IN APPENDIX)

CERTIFICATION MODE:

Factory's Quality Assurance Ability & Check of consistency of the product
+Type inspection +Follow-up inspection

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS:

CLASS A REQUIREMENTS OF DECORATIVE MATERIALS IN
LIMIT OF RADIONUCLIDES IN BUILDING MATERIALS (GB6566-2010)

THIS IS TO CERTIFY THAT THE ABOVE MENTIONED PRODUCTS HAVE QUALIFIED
FOR THE REQUIREMENTS SPECIFIED IN IMPLEMENTATION RULES FOR THE
COMPULSORY CERTIFICATION OF THE DECORATING AND REFURBISHING PRODUCTS
(PORCELAIN TILES) (CNCA-C21-01:2014)

VALIDITY FROM: Jan.06, 2014

VALID PERIOD: Nov.20, 2019 ~ Nov.19, 2024

THE VALIDITY OF THE CERTIFICATE SHALL DEPEND ON THE FOLLOW-UP
INSPECTION BY THE CERTIFICATION BODY AT REGULAR INTERVALS



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





APPENDIX TO CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE No: 2014112102000710

APPLICANT NAME: UNICOM S.r.l

FACTORY CODE: K000126

MODIFY CODE: 6

VALIDITY FROM: Jan.06, 2014

VALID PERIOD: Nov.20, 2019 ~ Nov.19, 2024

This appendix is only valid with the use of certificate meanwhile.

1 PAGE OF TOTAL 1 PAGE

THE LIST OF PRODUCTS WHICH CONFORM TO CLASS A REQUIREMENTS OF RADIOACTIVITY

PLANT ADDRESS: Via Stradone Secchia 32, 42014 Roteglia (RE)-Italy

No.	TYPES	SERIES
1	NATURAL SLATE	#AUTUMN#/#WINTER#/ #MULTIC# SERIES
2	DORDOGNE	#CENDRE#/#CAMEL#/#BISCUIT#/ #IVOIRE# SERIES
3	QUARZITE	#WHITE#/#GREEN#/#GOLD#/ #GREY# SERIES
4	MIDTOWN	#MID#/#TOWN#/#SOHO#/ # HARL#/#BROOK#/#QUEEN#/ #SIXTY#/# UP#/# DOWN#/ SERIES
5	BOARD	#BOARD#/#CHALK#/#PAPER#/#DUST#/ # GRAPH#/# INK# SERIES
6	LOIRE	#BLANC#/#BEIGE#/#OCRE#/ # GRIS# SERIES
7	KEY STONE	#KEY#/#WEST#/# STONE#/ # LARGO # SERIES
8	ESSENCE	#AN#/#CO#/#JU#/#LI#/ #MI#/#GR#/#ES# SERIES
9	SAND STONE	#SA#/#ST#/#GO# SERIES



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





中国国家强制性产品认证证书

证书编号: 2014112102000710

认证委托人名称及地址:

UNICOM S.r.l
via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

产品生产者(制造商)名称及地址:

UNICOM S.r.l
via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

生产企业名称及地址:

COEM S. P. A
Via Stradone Secchia 32, 42014 Roteglia (RE)-Italy
(工厂代码: K000126)

产品名称和产品系列、规格、型号:

瓷质砖
(具体产品系列明细见附表)

基本认证模式:

企业质量保证能力和产品一致性检查+型式试验+获证后的跟踪检查
产品标准和技术要求:

GB6566-2010《建筑材料放射性核素限量》中 A 类装修材料要求
上述产品符合 CNCA-C21-01:2014《强制性产品认证实施规则 装饰
装修产品》的要求,特发此证。

初次发证日期: 2014 年 01 月 06 日

本证书有效期: 2019 年 11 月 20 日至 2024 年 11 月 19 日

本证书的有效性依赖本机构定期的监督获得维持,相关信息可通过
国家认监委网站 www.cnca.gov.cn 查询



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





中国国家强制性产品认证证书附表

证书编号: 2014112102000710

企业名称: UNICOM S.r.l

工厂代码: K000126

本附表与证书同时使用方为有效,有效期至2024年11月19日。

变更号: 6

本次颁证日期: 2019年11月20日

初次发证日期: 2014年01月06日

本附表共1页第1页

放射性水平为A类瓷质砖产品系列明细

加工场所: Via Stradone Secchia 32, 42014 Roteglia (RE)-Italy

序号	类别	系列
1	NATURAL SLATE	#AUTUMN##WINTER#/ #MULTIC# 系列
2	DORDOGNE	#CENDRE##CARMEL##BISCUIT#/ #IVOIRE# 系列
3	QUARZITE	#WHITE##GREEN##GOLD#/ #GREY# 系列
4	MIDTOWN	#MID##TOWN##SOHO#/ # HARL##BROOK##QUEEN#/ #SIXTY## UP## DOWN# 系列
5	BOARD	#BOARD##CHALK##PAPER##DUST#/ # GRAPH## INK# 系列
6	LOIRE	#BLANC##BEIGE##OCRE#/ # GRIS# 系列
7	KEY STONE	#KEY##WEST## STONE#/ # LARGO # 系列
8	ESSENCE	#AN##CO##JU##LI#/ #MI##GR##ES# 系列
9	SAND STONE	#SA##ST##GO# 系列



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P



中国·北京·海淀区三里河路11号 100831

网址: www.gj-c.cn

A 0009087



中国国家强制性产品认证证书

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号/NUMBER:2013052102001854

委托人名称、地址/NAME AND ADDRESS OF APPLICANT:

UNICOM S. r. l.

Via Flumendosa 7-Fiorano Modenese(MO)

生产者(制造商)名称、地址/NAME AND ADDRESS OF MANUFACTURER:

UNICOM S. r. l.

Via Flumendosa 7-Fiorano Modenese(MO)

生产企业名称、地址及工厂代码/NAME, ADDRESS AND CODE OF FACTORY:

FLORIM CERAMICHE S. p. A(工厂代码/FACORY CODE:E100305)

VIA CANALETTO 24 FIORANO MODENESE (MODENA)/Strda S. 610 Selice n.1, Mordano(BO)

产品系列(名称)/NAME OF PRODUCT(SERIES):

放射性水平为A类的瓷质砖

PORCELAIN TILES WITH RADIOACTIVITY LEVEL:A

具体产品系列见附表/FOR DETAILS PLEASE REFER TO THE APPENDIX ATTACHED.

产品标准和技术要求/STANDARDS AND TECHNICAL REQUIREMENTS FOR PRODUCTS:

GB6566-2010<<建筑材料放射性核素限量>>

GB6566-2010 LIMITS OF RADIONUCLIDES IN BUILDING MATERIALS

上述产品符合国家强制性产品认证实施规则CNCA-C21-01:2014<<强制性产品认证实施规则 装饰装修产品>>的要求,特发此证。

THIS IS TO CERTIFY THAT THE ABOVE MENTIONED PRODUCTS MEET THE REQUIREMENTS SPECIFIED IN CNCA-C21-01:2014 IMPLEMENTATION RULES FOR COMPULSORY CERTIFICATION OF DECORATIVE PRODUCTS AND FITMENT PRODUCTS - PORCELAIN TILES.

发证日期/ISSUING DATE:2019年1月4日

有效期至/VALID UNTIL:2020年12月31日

(本证书首次颁发日期/INITIAL ISSUING DATE:2013年6月21日)

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

THE FOLLOW-UP INSPECTION IS APPLIED TO SUPPORT THE VALIDITY OF THE CERTIFICATE.

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn 查询

THE STATUS OF THE CERTIFICATE IS ANNOUNCED BY CNCA WEBSITE:www.cnca.gov.cn

证书签发人:

AUTHORIZED BY:



中国建材认证

中国建材检验认证集团股份有限公司

China Building Material Test & Certification Group Co., Ltd.



中国·北京·朝阳区管庄东里 100024
电话/Tel: +86-10-5116-7303

Guanzhuang, Chaoyang District, Beijing P. R. China 100024
网址: www.ctc.ac.cn

A 0092677



中国国家强制性产品认证证书附表

APPENDIX TO CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号/NUMBER:2013052102001854

变更号/Extension No.:4

1/1

放射性水平为A类的瓷质砖

PORCELAIN TILES WITH RADIOACTIVITY LEVEL:A

序号/No.	产品名称(系列)/NAME OF PRODUCTS(SERIES)
1	LE CERE (CERE BIANCO)
2	LE CERE (CERE BORDEAUX, CERE SABBIA, CERE GRIGIO, CERE NERO, CERE TORTORA)
3	INSPIRED (INS)
4	MAXXI (MAXXI)
5	OAK (OAK)
6	RENAISSANCE (REN)
7	TRACES (TR)
8	BASALTINA (BASALT)
9	SEAMLESS PROJECT (SEAMLES)
10	CABANE (CAB)
11	COSMIC (COS)
12	DEBRIS (DEB)

注: 本表所批准的各产品系列, 其所有关键原材料的最高含量均不得超过证书持有人在认证机构备案的数值。
REMARK: THE CONTENT OF THE MAIN RAW MATERIALS OF ALL THE PRODUCT SERIES APPROVED ON THE ABOVE LIST SHALL NOT EXCEED THE VALUE DOCUMENTED AT THE CERTIFICATION CENTER.



中国建材检验认证集团股份有限公司
China Building Material Test & Certification Group
Co., Ltd.

附表生效日期/Date of issue: 2019年1月4日

A 0159318

2019 年度监督合格通知书

NOTICE OF CCC ANNUAL COMPLIANCE

持证人/Certificate Holder : UNICOM S. r. l.

依据国家强制性产品认证实施规则CNCA-C21-01: 2014<<强制性产品认证实施规则 装饰装修产品>>的要求, 本中心根据现场质量体系监督审核及产品抽样监督检验的结论, 确认以下产品年度监督合格, 下列证书在2020年12月31日前保持有效。

This is to confirm that the above named holder complies with the requirements set out in CNCA-C21-01:2014 Implementation Rules for Compulsory Certification of Decorative Products and Fitment Products -Porcelain Tiles, based on the results of annual inspection and product testing conducted by CTC, therefore, the certificates listed below are maintained valid before Dec.2020

工厂名称/Factory : FLORIM CERAMICHE S. p. A

工厂代码/Factory Code: E100305

工厂地址/Factory's address: VIA CANALETTO 24 FIORANO MODENESE
(MODENA) /Strda S. 610 Selice n.1, Mordano (BO)

产品名称/Name of Products	证书编号/Certificate Num.
放射性水平为A类的瓷质砖/Porcelain Tiles with radioactivity level: A	2013052102001854

具体产品系列见证书附表, 以下空白。

The scope of the products listed above in the table shall refer to the attachments to the certificate
本通知应结合强制性产品认证证书及附表一并使用。

This Notice of Annual Compliance (NAC) should be used together with the certificates and their attachments for the status of validity.

本通知不得部分复制。

Partial copy of this NAC is invalid.

本通知书有效期截止到2020年12月31日

Expiration of NAC: Dec. 31, 2020

本通知有效性可从www.ctc.ac.cn网址查询, 或致电010-51167397查询

中国建材检验认证集团股份有限公司
(原中国建筑材料检验认证中心)
China Building Material Test & Certification Group Co., Ltd.
(China Building Material Test And Certification Center)





中国国家强制性产品认证证书

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号/NUMBER: 2015052102002885

委托人名称、地址/NAME AND ADDRESS OF APPLICANT:

UNICOM S. r. l.

Via Flumendosa 7-Fiorano Modenese(MO)

生产者(制造商)名称、地址/NAME AND ADDRESS OF MANUFACTURER:

UNICOM S. r. l.

Via Flumendosa 7-Fiorano Modenese(MO)

生产企业名称、地址及工厂代码/NAME, ADDRESS AND CODE OF FACTORY:

INDUSTRIE CERAMICHE PIEMME SPA(工厂代码/FACTORY CODE:E100303)

STRADA STATALE 569 n° 222 SOLIGNANO(MODENA)

产品系列(名称)/NAME OF PRODUCT(SERIES):

放射性水平为A类的瓷质砖

PORCELAIN TILES WITH RADIOACTIVITY LEVEL:A

具体产品系列见附表/FOR DETAILS PLEASE REFER TO THE APPENDIX ATTACHED.

产品标准和技术要求/STANDARDS AND TECHNICAL REQUIREMENTS FOR PRODUCTS:

GB6566-2010<<建筑材料放射性核素限量>>

GB6566-2010 LIMITS OF RADIONUCLIDES IN BUILDING MATERIALS

上述产品符合国家强制性产品认证实施规则CNCA-C21-01: 2014<<强制性产品认证实施规则装饰装修产品>>的要求, 特发此证。

THIS IS TO CERTIFY THAT THE ABOVE MENTIONED PRODUCTS MEET THE REQUIREMENTS SPECIFIED IN CNCA-C21-01:2014 IMPLEMENTATION RULES FOR COMPULSORY CERTIFICATION OF DECORATIVE PRODUCTS AND FITMENT PRODUCTS - PORCELAIN TILES.

发证日期/ISSUING DATE: 2020年2月17日

有效期至/VALID UNTIL: 2020年12月7日

(本证书首次颁发日期/INITIAL ISSUING DATE: 2015年3月31日)

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

THE FOLLOW-UP INSPECTION IS APPLIED TO SUPPORT THE VALIDITY OF THE CERTIFICATE.

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn 查询

THE STATUS OF THE CERTIFICATE IS ANNOUNCED BY CNCA WEBSITE: www.cnca.gov.cn

证书签发人:

AUTHORIZED BY:



中国建材认证



中国建材检验认证集团股份有限公司
China Building Material Test & Certification
Group Co., Ltd.

中国·北京·朝阳区管庄东里 100024
电话/Tel: +86-10-5116-7333

Guanzhuang, Chaoyang District, Beijing P. R. China 100024
网址: www.ctc.ac.cn

A 0086103



中国国家强制性产品认证证书附表

APPENDIX TO CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

证书编号/NUMBER:2015052102002885

变更号/Extension No.:2

1/1

放射性水平为A类的瓷质砖

PORCELAIN TILES WITH RADIOACTIVITY LEVEL:A

序号/No.	产品名称(系列)/NAME OF PRODUCTS(SERIES)
1	MATERIAE (AQUA, AER, TERRA, IGNIS, ADAMAS, CARBO)
2	ICON (BONE, WHITE, DOVE GREY, GUNPOWDER, JET BLACK, TAUPE BACK, VARIATION 1, VARIATION 2)
3	BRECCIA (SILK, CREAM)
4	MUSE (CALACATTA, CARRARA, MARFIL)
5	MARWARI (MOON, RAIN, STORM, CLAY)
6	EVOSTONE (DUNE, GRAPHITE, IVORY, MIST, NATURAL)

注: 本表所批准的各产品系列, 其所有关键原材料的最高含量均不得超过证书持有人在认证机构备案的数值。
REMARK: THE CONTENT OF THE MAIN RAW MATERIALS OF ALL THE PRODUCT SERIES APPROVED ON THE ABOVE LIST SHALL NOT EXCEED THE VALUE DOCUMENTED AT THE CERTIFICATION CENTER.



中国建材检验认证集团股份有限公司
China Building Material Test & Certification Group
Co., Ltd.

附表生效日期/Date of issue: 2018年7月6日

A 0125904



2019 年度监督合格通知书

NOTICE OF CCC ANNUAL COMPLIANCE

持证人/Certificate Holder : UNICOM S. r. l.

依据国家强制性产品认证实施规则CNCA-C21-01: 2014<<强制性产品认证实施规则 装饰装修产品>>的要求, 本中心根据现场质量体系监督审核及产品抽样监督检验的结论, 确认以下产品年度监督合格, 下列证书在2020年12月31日前保持有效。

This is to confirm that the above named holder complies with the requirements set out in CNCA-C21-01:2014 Implementation Rules for Compulsory Certification of Decorative Products and Fitment Products -Porcelain Tiles, based on the results of annual inspection and product testing conducted by CTC, therefore, the certificates listed below are maintained valid before Dec.2020

工厂名称/Factory : INDUSTRIE CERAMICHE PIEMME SPA

工厂代码/Factory Code: E100303

工厂地址/Factory's address: STRADA STATALE 569 n° 222 SOLIGNANO (MODENA)

产品名称/Name of Products	证书编号/Certificate Num.
放射性水平为A类的瓷质砖/Porcelain Tiles with radioactivity level: A	2015052102002885

具体产品系列见证书附表, 以下空白。

The scope of the products listed above in the table shall refer to the attachments to the certificate
本通知应结合强制性产品认证证书及附表一并使用。

This Notice of Annual Compliance (NAC) should be used together with the certificates and their attachments for the status of validity.

本通知不得部分复制。

Partial copy of this NAC is invalid.

本通知书有效期截止到2020年12月31日

Expiration of NAC: Dec. 31, 2020

本通知有效性可从www.ctc.ac.cn网址查询, 或致电010-51167397查询

中国建材检验认证集团股份有限公司
(原中国建筑材料检验认证中心)

China Building Material Test & Certification Group Co., Ltd.
(China Building Material Test and Certification Center)



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATION No: 2016112102000878

NAME AND ADDRESS OF THE APPLICANT:

UNICOM S.r.l
Via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

MANUFACTURER:

UNICOM S.r.l
Via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

NAME AND ADDRESS OF THE FACTORY:

MARAZZI GROUP S.r.l
Via Ferrari Carazzoli, 120, CAP 41042-Fiorano Modenese (MO), Italy
(FACTORY CODE: K000103)

NAME AND SERIES OF THE PRODUCTS:

PORCELAIN TILES
(THE LIST IN APPENDIX)

CERTIFICATION MODE:

**Factory's Quality Assurance Ability & Check of consistency of the product
+Type inspection +Follow-up inspection**

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS:

**CLASS A REQUIREMENTS OF DECORATIVE MATERIALS IN
LIMIT OF RADIONUCLIDES IN BUILDING MATERIALS (GB6566-2010)**

**THIS IS TO CERTIFY THAT THE ABOVE MENTIONED PRODUCTS HAVE QUALIFIED
FOR THE REQUIREMENTS SPECIFIED IN IMPLEMENTATION RULES FOR THE
COMPULSORY CERTIFICATION OF THE DECORATING AND REFURBISHING PRODUCTS
(PORCELAIN TILES) (CNCA-C21-01:2014)**

VALIDITY FROM: Mar.16, 2016 REVISION DATE: Dec. 26, 2018

VALID PERIOD: Mar.16, 2016 ~ Mar.15, 2021

**THE VALIDITY OF THE CERTIFICATE SHALL DEPEND ON THE FOLLOW-UP
INSPECTION BY THE CERTIFICATION BODY AT REGULAR INTERVALS**



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





APPENDIX TO CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE No: 2016112102000878

APPLICANT NAME: UNICOM S.r.l

FACTORY CODE: K000103

MODIFY CODE: 1

VALIDITY FROM: Dec. 26, 2018

VALID PERIOD: Mar.16,2016 ~ Mar.15, 2021

This appendix is only valid with the use of certificate meanwhile.

1 PAGE OF TOTAL 1 PAGE

THE LIST OF PRODUCTS WHICH CONFORM TO CLASS A REQUIREMENTS OF RADIOACTIVITY

PLANT ADDRESS: Via Ferrari Carazzoli, 120, CAP 41042-Fiorano Modenese (MO), Italy

序号	TYPES	SERIES
1	ICON	#BON##DOVE##GUN#/ #JET##TAU# SERIES
2	OVERALL	#OVE# SERIES
3	STAGE	#STA# SERIES
4	2TH MARWARI	#2TH# SERIES
5	PIETRA DI GRE'	#PDG# SERIES



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





中国国家强制性产品认证证书

证书编号: 2016112102000878

认证委托人名称及地址:

UNICOM S.r.l

Via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

产品生产者(制造商)名称及地址:

UNICOM S.r.l

Via Flumendosa 7 – 41042 Fiorano Modenese (MO) – Italy

生产企业名称及地址:

MARAZZI GROUP S.r.l

Via Ferrari Carazzoli, 120, CAP 41042-Fiorano Modenese (MO), Italy
(工厂代码: K000103)

产品名称和产品系列、规格、型号:

瓷质砖

(具体产品系列明细见附表)

基本认证模式:

企业质量保证能力和产品一致性检查+型式试验+获证后的跟踪检查

产品标准和技术要求:

GB6566-2010《建筑材料放射性核素限量》中 A 类装修材料要求
上述产品符合 CNCA-C21-01:2014《强制性产品认证实施规则 装饰装修产品》的要求, 特发此证。

初次发证日期: 2016 年 03 月 16 日 变更日期: 2018 年 12 月 26 日

本证书有效期: 2016 年 03 月 16 日至 2021 年 03 月 15 日

本证书的有效性依赖本机构定期的监督获得维持, 相关信息可通过
国家认监委网站 www.cnca.gov.cn 查询



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P





中国国家强制性产品认证证书附表

证书编号: 2016112102000878

企业名称: UNICOM S.r.l

工厂代码: K000103

本附表与证书同时使用方为有效,有效期至2021年03月15日。

变更号: 1

变更日期: 2018年12月26日

颁发日期: 2016年03月16日

本附表共1页第1页

放射性水平为A类瓷质砖产品系列明细

加工场所: Via Ferrari Carazzoli,120,CAP 41042-Fiorano Modenese (MO), Italy

序号	类别	系列
1	ICON	#BON##DOVE##GUN#/ #JET##TAU# 系列
2	OVERALL	#OVE# 系列
3	STAGE	#STA# 系列
4	2TH MARWARI	#2TH# 系列
5	PIETRA DI GRE'	#PDG# 系列



中国认可
产品
PRODUCT
CNAS C025-P

CNAS C025-P



中国·北京·海淀区三里河路 11 号 100831

网址: www.gj-c.cn

A 0008804



国建联信认证中心
Guojian Lianxin Certification Center

强制性产品认证年度监督合格通知书

UNICOM S.r.l:

据《强制性产品认证管理规定》(国家质检总局 2009 年第 117 号令)和《强制性产品认证实施规则 装饰装修产品》(CNCA-C21-01: 2014)、《强制性产品认证实施细则 瓷质砖产品》(GJC-C21-01: 2014)有关规定,我机构于 2018 年 11 月 09 日对你企业进行了年度监督检查,经评定工厂检查通过,产品抽检合格,准予继续使用注册编号为 2016112102000878 的认证证书。

特此通知。

According to the "Regulations for compulsory product certification"(National Quality Decree No. 117) and "Implementation Rules for the Compulsory Certification of the decorating and refurbishing products (porcelain tiles) (CNCA-C21-01:2014), our agency has carried on the year control inspection in Nov.09, 2018 for your enterprise, after annual supervision and inspection, you are allowed to continue to use the registration which is the number is 2016112102000878.

2018 年 12 月 26 日

Dec. 26, 2018

* 需要延续使用的,证书持有人需在证书有效期届满前 90 天内申请办理。

* The certification need application in 90 days before the expiry date in tend to continue to use the certification.



中国强制性产品认证印刷 / 模压标志批准书

Permission of Printing/Impressing China Compulsory Product Certification Mark

No.FZ1601040466

兹批准本通知书申请人在由下列生产厂为其生产的产品包装上使用印刷方式加施强制性产品标志。

WE HEREBY AUTHORIZE THE APPLICANT IN THE FACTORY TO ADOPT
PRINTED USING COMPULSORY CERTIFICATION MARK.THE APPROVED
DESIGN OF MARKS MUST BE SHOWN ON THE PACKING OF PRODUCTS.

申 请 人: UNICOM S.r.l

APPLICANT:

制 造 商: UNICOM S.r.l

MANUFACTURER:

生 产 厂: MARAZZI GROUP S.r.l

FACTORY:

证 书 号: 2016112102000878(共有1张证书,其他证书见附页。)

CERTIFICATE NO:

批准图案(见附页)

APPROVED PATTERN (SEE ATTACHMENT)

发证日期: 2016年11月28日
APPLICATION DATE: Nov 28, 2016

审核专用章

地址: 中国 北京 朝阳区朝阳门外大街甲 10 号中认大厦 5 层
ADD.: 5F A10, Chaowai Street, Chaoyang District, Beijing, P.R.China
电话 TEL: +86-10-65991234 传真 FAX: +86-10-65991234

邮编: 100020
POSTCODE: 100020
<http://cccmark.cnca.gov.cn>



中国强制性产品认证印刷 / 模压标志批准书

Permission of Printing/Impressing China Compulsory Product Certification Mark

FZ1601040466

2016112102000878 *

此批准书批准范围仅为CCC认证证书涵盖内容，批复图案中无关CCC证书的内容不在批准范围内，请认证企业遵照相关法律法规执行。《中国强制性产品认证印刷/模压标志批准书》有效期内，如所涉及CCC认证证书失效，则批准书同时失效。

IT IS ONLY THE AREAS COVERED BY CCC CERTIFICATE ARE AUTHORIZED. THE IRRELEVANT CONTENT OF THE APPROVED DESIGNS CAN NOT BE AUTHORIZED. THE CERTIFIED ORGANIZATIONS SHOULD BE SUBJECT TO THE RELEVANT LAWS AND REGULATIONS. DURING THE VALID PERIOD OF "PERMISSION OF PRINTING/IMPRESSING CHINA COMPULSORY CERTIFICATION MARK", IF THE RELEVANT CCC CERTIFICATE EXPIRES, THE APPROVAL AUTOMATICALLY EXPIRES.

产品类别：2102，标志类型：S，标志制作方式：印刷，
标志加施位置：包装，标志尺寸：18毫米，标志颜色：黑色。

The diagram shows a rectangular label template with various zones and markings:

- Zone 1:** A small rectangular area on the left side.
- Zone 2:** A small rectangular area on the right side.
- Zone 3:** A small rectangular area on the left side, below Zone 1.
- Zone 4:** A large rectangular area in the center, labeled "ZONA TIMBRATURA PRODOTTO".
- Zone 5:** A small rectangular area on the right side, below Zone 2.
- Zone 6:** A small rectangular area on the left side, below Zone 3.
- Zone 7:** A small rectangular area on the right side, below Zone 5.
- Zone 8:** A small rectangular area on the left side, below Zone 6.
- Zone 9:** A small rectangular area on the right side, below Zone 7.
- Zone 10:** A large rectangular area in the center, labeled "ZONA SCRITTURA TABELLA ARABA / CIRILLICA GIRARE LE SCRITTE DI 180°".
- Zone 11:** A small rectangular area on the left side, below Zone 8.
- Zone 12:** A small rectangular area on the right side, below Zone 9.

Other markings include the "CCC" logo, "CE" mark, "A+" mark, and "unicomstarter" logo.

地址：中国 北京 朝阳区朝阳门外大街甲10号中认大厦5层
ADD.: 5F A10, Chaowai Street, Chaoyang District, Beijing, P.R.China
电话 TEL: +86-10-65991234 传真 FAX: +86-10-65991234

邮编：100020
POSTCODE: 100020
<http://cccmark.cnca.gov.cn>